

AG Barr recalls IRN-BRU Regular and IRN-BRU 1901 750ml glass bottles because of a manufacturing fault which may cause bottle caps to pop off unexpectedly

AG Barr is recalling IRN-BRU Regular and IRN-BRU 1901 750ml glass bottles on a precautionary basis because there have been a small number of reports that the bottle caps pop off unexpectedly.

Product details

IRN-BRU Regular

Pack size	750ml Glass Bottle
Batch code	C2 2083, C2 2084
Best before	March 2023

IRN-BRU 1901

Pack size	750ml Glass Bottle
Batch code	C2 2082, C2 2087, C2 2088
Best before	March 2023

Risk statement

There is a risk that the bottle caps may pop off unexpectedly which may cause injury.

Action taken by the company

AG Barr is recalling the above products. Point of sale notices will be displayed in all retail stores that are selling these products. These notices explain to customers why the products are being recalled and tell them what to do if they have bought the products. Please see the attached notice.

PDF

<u>Gweld Customer Notice: IRN BRU Regular and IRN BRU 1901 750ml glass bottles</u> as pdf(Open in a new window) (82.15 KB)

Our advice to consumers

If you have bought any of the above products, open the bottles with care to release the pressure. Bottles should be handled carefully and pointed away from the body at arm's length when opening. Consumers should then contact AG Barr at consumercare@agbarr.co.uk

About product recalls and withdrawals

Os oes problem gyda chynnyrch bwyd sy'n golygu na ddylid ei werthu, gellid ei 'dynnu yn ôl' (ei dynnu oddi ar y silffoedd) neu ei 'alw yn ôl' (pan ofynnir i gwsmeriaid ddychwelyd y cynnyrch). Mae'r Asiantaeth Safonau Bwyd yn cyhoeddi Hysbysiadau Galw Cynnyrch yn Ôl i roi gwybod i ddefnyddwyr ac awdurdodau lleol am broblemau sy'n gysylltiedig â bwyd. Mewn rhai achosion, cyhoeddir 'Rhybudd Bwyd Er Gweithredu'. Mae hyn yn rhoi gwybod i awdurdodau lleol am gamau penodol i'w cymryd ar ran defnyddwyr.

Ref: FSA-PRIN-28-2022

Tanysgrifio i newyddion a rhybuddion