



# Inter-laboratory collaborative trial of real-time PCR method phase 2: Appendix 4 mean and range plots of raw data from the collaborative trial

## Horse in processed beef 0.1%: blind replicates




## Horse in processed beef 0.5%: blind replicates

Horse in processed beef 0.5% : blind replicates




### Horse in processed beef 1%: blind replicates

Horse in processed beef 1 % : blind replicates




### Horse in processed beef 3%: blind replicates

Horse in processed beef 3 % : blind replicates




## Horse in processed beef 10%: blind replicates

Horse in processed beef 10 % : blind replicates




## Pork in processed beef 0.1%: blind replicates

Pork in processed beef, 0.1% : blind replicates




## Pork in processed beef 0.5%: blind replicates

Pork in processed beef, 0.5% : blind replicates




## Pork in processed beef 1%: blind replicates

Pork in processed beef, 1% : blind replicates




### Pork in processed beef 3%: blind replicates

Pork in processed beef, 3% : blind replicates




### Pork in processed beef 10%: blind replicates

Pork in processed beef, 10% : blind replicates




### Pork in raw beef 0.1%: blind replicates

Pork in raw beef, 0.1% : blind replicates




### Pork in raw beef 0.5%: blind replicates

Pork in raw beef, 0.5% : blind replicates




## Pork in raw beef 1%: blind replicates

Pork in raw beef, 1% : blind replicates



## Pork in raw beef 3%: blind replicates

Pork in raw beef, 3% : blind replicates



## Pork in raw beef 10%: blind replicates

Pork in raw beef, 10% : blind replicates

