

# Salmonella risk profile of UK-produced hen shell eggs: References

- [ACMSF \(1993\) 'Report on Salmonella in eggs.'](#), in HMSO, pp. 4–58.
- ACMSF (2016) [An update on the microbiological risk from shell eggs and their products \(PDF\)](#) (Accessed: 16 May 2022).
- [ACMSF \(2021\) ACM- 1353 update on EFIG](#). (PDF) (Accessed: 18 May 2022).
- [AHVLA \(2009\) 'Salmonella in Livestock Production in GB: 2009 report'](#).
- [AHVLA \(2010\) 'Salmonella in Livestock Production in GB: 2010 report'](#).
- [AHVLA \(2011\) 'Salmonella in Livestock Production in GB: 2011 report'](#).
- [AHVLA \(2012\) 'Salmonella in Livestock Production in GB: 2012 report'](#).
- [APHA \(2019a\) 'Salmonella in livestock production in GB, 2018'](#).
- [APHA \(2019b\) 'Salmonella in livestock production in Great Britain, 2019'](#).
- [APHA \(2021\) Salmonella in livestock production in Great Britain, GOV.UK](#), (Accessed: 9 May 2022).
- APHA (2022) 'Salmonella in animals and feed in Great Britain', p. 272.
- Arnold, M.E. et al. (2012) 'Estimation of the Rate of Egg Contamination from Salmonella-Infected Chickens', Zoonoses and Public Health, 61(1), pp. 18–27. Available at: <https://doi.org/10.1111/zph.12038>.
- Arnold, M.E. et al. (2014) 'Estimation of the impact of vaccination on faecal shedding and organ and egg contamination for Salmonella Enteritidis, Salmonella Typhimurium and monophasic Salmonella Typhimurium', Avian Pathology, 43(2), pp. 155–163. Available at: <https://doi.org/10.1080/03079457.2014.896990>.
- Beuchat, L.R. et al. (2013) 'Low-Water Activity Foods: Increased Concern as Vehicles of Foodborne Pathogens', Journal of Food Protection, 76(1), pp. 150–172. Available at: <https://doi.org/10.4315/0362-028X.JFP-12-211>.
- [British Lion Eggs \(2021\) The British Lion eggs journey: Packing Centre | Egg Recipes – British Lion Eggs](#). (Accessed: 4 May 2022).
- [British Lion Eggs \(2022\) UK Egg Industry Data | Official Egg Info](#). (Accessed: 6 May 2022).
- Brooks, L.A. et al. (2021) 'A Comparison of Colonizing Ability Between Salmonella Enteritidis and Salmonella Heidelberg in Broiler Chickens Challenged Through Feed Administration', Foodborne Pathogens and Disease, 18(11), pp. 784–789. Available at: <https://doi.org/10.1089/fpd.2021.0016>.
- Cardoso, M.J. et al. (2021) 'Salmonella in eggs: From shopping to consumption—A review providing an evidence-based analysis of risk factors', Comprehensive Reviews in Food Science and Food Safety, 20(3), pp. 2716–2741. Available at: <https://doi.org/10.1111/1541-4337.12753>.
- Chattaway, M.A. et al. (2019) 'The Transformation of Reference Microbiology Methods and Surveillance for Salmonella With the Use of Whole Genome Sequencing in England and Wales', Frontiers in Public Health, 7, p. 317. Available at: <https://doi.org/10.3389/fpubh.2019.00317>.
- Crabb, H.K., Gilkerson, J.R. and Browning, G.F. (2019) 'Does only the age of the hen matter in Salmonella enterica contamination of eggs?', Food Microbiology, 77, pp. 1–9. Available at: <https://doi.org/10.1016/j.fm.2018.08.006>.

- Crouch, C.F. et al. (2020) ‘Safety and efficacy of a novel inactivated trivalent Salmonella enterica vaccine in chickens’, *Vaccine*, 38(43), pp. 6741–6750. Available at: <https://doi.org/10.1016/j.vaccine.2020.08.033>.
- DEFRA (2021) [United Kingdom Food Security Report 2021: Theme 5: Food Safety and Consumer Confidence](#), GOV.UK. (Accessed: 27 May 2022).
- DHSC (2013) [Diet and nutrition survey of infants and young children, 2011](#), GOV.UK. (Accessed: 7 February 2022).
- EFSA (2004) ‘Opinion of the Scientific Panel on biological hazards (BIOHAZ) related to the use of vaccines for the control of Salmonella in poultry’, *EFSA Journal [Preprint]*, (EFSA Journal). Available at: <https://doi.org/10.2903/j.efsa.2004.114>.
- EFSA BIOHAZPanel et al. (2019) ‘Salmonella control in poultry flocks and its public health impact’, *EFSA Journal*, 17(2), p. e05596. Available at: <https://doi.org/10.2903/j.efsa.2019.5596>.
- Eikmeier, D., Medus, C. and Smith, K. (2018) ‘Incubation period for outbreak-associated, non-typhoidal salmonellosis cases, Minnesota, 2000–2015’, *Epidemiology & Infection*, 146(4), pp. 423–429. Available at: <https://doi.org/10.1017/S0950268818000079>.
- European Centre for Disease Prevention and Control, European Food Safety Authority (2022) ‘Multi?country outbreak of Salmonella Enteritidis sequence type (ST)11 infections linked to eggs and egg products – 8 February 2022’, *EFSA Supporting Publications*, 19(2). Available at: <https://doi.org/10.2903/sp.efsa.2022.EN-7180>.
- European Food Safety Authority (EFSA) et al. (2018) ‘Outcome of EC/EFSA questionnaire (2016) on use of Whole Genome Sequencing (WGS) for food? and waterborne pathogens isolated from animals, food, feed and related environmental samples in EU/EFTA countries’, *EFSA Supporting Publications*, 15(6). Available at: <https://doi.org/10.2903/sp.efsa.2018.EN-1432>.
- European Food Safety Authority and European Centre for Disease Prevention and Control (2021) ‘The European Union One Health 2020 Zoonoses Report’, *EFSA Journal*, 19(12), p. e06971. Available at: <https://doi.org/10.2903/j.efsa.2021.6971>.
- [Food Standards Agency \(2004\) ‘Report of the survey of Salmonella contamination of UK produced shell eggs on retail sale.’](#).
- [Food Standards Agency \(2022\) Home food fact checker, Food Standards Agency](#). (Accessed: 19 May 2022).
- [FSA \(2018\) Chilling, Food Standards Agency.](#) (Accessed: 4 September 2020).
- FSA (2021) Food and You 2 - Wave 2, Food Standards Agency. Available at: <https://doi.org/10.46756/sci.fsa.dws750>.
- Gradl, J.A. et al. (2017) ‘Assessing the impact of egg sweating on Salmonella Enteritidis penetration into shell eggs’, *Poultry Science*, 96(7), pp. 2393–2399. Available at: <https://doi.org/10.3382/ps/pex011>.
- Holland, D. and Mahmoudzadeh, N. (2020) Foodborne Disease Estimates for the United Kingdom in 2018. Food Standards Agency. Available at: <https://doi.org/10.46756/sci.fsa.squ824>.
- Hudson, J.A. et al. (2015) ‘Salmonella in and on eggs risk profile’. Available at: <https://doi.org/10.13140/RG.2.1.5054.3208>.
- Humphrey, T.J., Martin, K.W. and Whitehead, A. (1994) ‘Contamination of hands and work surfaces with Salmonella enteritidis PT4 during the preparation of egg dishes’, *Epidemiology and Infection*, 113(3), pp. 403–409. Available at: <https://doi.org/10.1017/s095026880068412>.
- Kathie Grant et al. (2018) [‘Implementing pathogen genomics’ \(PDF\)](#).
- Keerthirathne, T.P. et al. (2019) ‘The Combined Effect of pH and Temperature on the Survival of Salmonella enterica Serovar Typhimurium and Implications for the Preparation of Raw Egg Mayonnaise’, *Pathogens* (Basel, Switzerland), 8(4), p. E218. Available at: <https://doi.org/10.3390/pathogens8040218>.
- Khan, S. et al. (2021) ‘Refrigeration of eggs influences the virulence of Salmonella Typhimurium’, *Scientific Reports*, 11(1), p. 18026. Available at: <https://doi.org/10.1038/s41598-021-97135-4>.

- Kingsbury, J.M., Thom, K. and Soboleva, T. (2019) 'Effect of Storage Temperature on the Survival of New Zealand Egg-Associated Salmonella Isolates in and on Eggs', *Journal of Food Protection*, 82(12), pp. 2161–2168. Available at: <https://doi.org/10.4315/0362-028X.JFP-19-251>.
- [Laid in Britain \(2022\) Laid in Britain - the scheme, Laid in Britain.](#) (Accessed: 16 May 2022).
- Lane, C.R. et al. (2014) 'Salmonella enterica Serovar Enteritidis, England and Wales, 1945–2011', *Emerging Infectious Diseases*, 20(7), pp. 1097–1104. Available at: <https://doi.org/10.3201/eid2007.121850>.
- Lin, Q. et al. (2021) 'Salmonella Hessarek: An emerging food borne pathogen and its role in egg safety', *Food Control*, 125, p. 107996. Available at: <https://doi.org/10.1016/j.foodcont.2021.107996>.
- Love, N.K. et al. (2022) 'Impact of the COVID-19 pandemic on gastrointestinal infection trends in England, February–July 2020', *BMJ Open*, 12(3), p. e050469. Available at: <https://doi.org/10.1136/bmjopen-2021-050469>.
- Mandal, R.K. and Kwon, Y.M. (2017) 'Global Screening of Salmonella enterica Serovar Typhimurium Genes for Desiccation Survival', *Frontiers in Microbiology*, 8. Available at: <https://doi.org/10.3389/fmicb.2017.01723>.
- Messens, W. et al. (2007) 'Eggshell penetration of various types of hens' eggs by *Salmonella enterica* serovar *Enteritidis*', *Journal of Food Protection*, 70(3), pp. 623–628. Available at: <https://doi.org/10.4315/0362-028x-70.3.623>.
- Messens, W., Grijspoorst, K. and Herman, L. (2005) 'Eggshell penetration by *Salmonella*: a review', *World's Poultry Science Journal*, 61(1), pp. 71–86. Available at: <https://doi.org/10.1079/WPS200443>.
- Miyamoto, T. et al. (1998) 'Salmonella Penetration through Eggshell Associated with Freshness of Laid Eggs and Refrigeration', *Journal of Food Protection*, 61(3), pp. 350–353. Available at: <https://doi.org/10.4315/0362-028X-61.3.350>.
- Musgrove, M.T. et al. (2009) 'Enterobacteriaceae and related organisms isolated from nest run cart shelves in commercial shell egg processing facilities', *Poultry Science*, 88(10), pp. 2113–2117. Available at: <https://doi.org/10.3382/ps.2009-00021>.
- Neuert, S. et al. (2018) 'Prediction of Phenotypic Antimicrobial Resistance Profiles From Whole Genome Sequences of Non-typhoidal *Salmonella enterica*', *Frontiers in Microbiology*, 9, p. 592. Available at: <https://doi.org/10.3389/fmicb.2018.00592>.
- Okamura, M. et al. (2008) 'Effect of fixed or changing temperatures during prolonged storage on the growth of *Salmonella enterica* serovar *Enteritidis* inoculated artificially into shell eggs', *Epidemiology and Infection*, 136(9), pp. 1210–1216. Available at: <https://doi.org/10.1017/S0950268807009612>.
- Pande, V.V. et al. (2016) '[Study of \*Salmonella Typhimurium\* Infection in Laying Hens](#)', *Frontiers in Microbiology*, 7. (Accessed: 16 May 2022).
- [PHE and FSA \(2014\) NDNS: results from Years 1 to 4 \(combined\)](#), GOV.UK, (Accessed: 7 February 2022).
- [PHE and FSA \(2016\) NDNS: results from Years 5 and 6 \(combined\)](#), GOV.UK.(Accessed: 7 February 2022).
- [PHE and FSA \(2018\) NDNS: results from years 7 and 8 \(combined\)](#), GOV.UK.(Accessed: 7 February 2022).
- [PHE and FSA \(2020\) NDNS: results from years 9 to 11 \(2016 to 2017 and 2018 to 2019\)](#), GOV.UK. (Accessed: 7 February 2022).
- Regmi, P. et al. (2021) 'Egg carton and eggshell: is there a possibility of *Salmonella* cross-contamination?', *Journal of Applied Poultry Research*, 30(4), p. 100185. Available at: <https://doi.org/10.1016/j.japr.2021.100185>.
- Ricke, S.C. (2017) 'Insights and challenges of *Salmonella* infection of laying hens', *Current Opinion in Food Science*, 18, pp. 43–49. Available at: <https://doi.org/10.1016/j.cofs.2017.10.012>.
- Szpinak, V., Ganz, M. and Yaron, S. (2022) 'Factors affecting the thermal resistance of *Salmonella Typhimurium* in tahini', *Food Research International*, 155, p. 111088. Available at: <https://doi.org/10.1016/j.foodres.2022.111088>.

- Teunis, P.F.M. et al. (2010) 'Dose-response modeling of Salmonella using outbreak data', International Journal of Food Microbiology, 144(2), pp. 243–249. Available at: <https://doi.org/10.1016/j.ijfoodmicro.2010.09.026>.
- [UK Health Security Agency \(2021\) Non-typhoidal Salmonella data 2010 to 2019. GOV-10153 \(PDF\)](#).
- UKHSA (2016) 'Salmonella data 2006 to 2015 November 2016', p. 12.
- UKHSA (2018) 'Salmonella data 2007 to 2016, May 2018', p. 13.
- UKHSA (2021a) 'Non-typhoidal Salmonella data 2008 to 2017', p. 15.
- UKHSA (2021b) 'Non-typhoidal Salmonella data 2009 to 2018', p. 15.
- UKHSA (2021c) 'Non-Typhoidal Salmonella data 2010 to 2019', p. 15.
- Veterinary Medicines Directorate (2020) SUMMARY OF PRODUCT CHARACTERISTICS, [Nobilis Salenvac ETC suspension for injection for chickens. \(PDF\)](#) (Accessed: 7 September 2022).
- Veterinary Medicines Directorate (2021a) Product information database, [Veterinary Medicines Directorate](#). (Accessed: 7 September 2022).
- Veterinary Medicines Directorate (2021b) SUMMARY OF PRODUCT CHARACTERISTICS, [Nobilis SE live lyophilisate for use in drinking water for chickens, VMD, DEFRA. \(PDF\)](#) (Accessed: 8 September 2022).
- Whiley, H. and Ross, K. (2015) 'Salmonella and Eggs: From Production to Plate', International Journal of Environmental Research and Public Health, 12(3), pp. 2543–2556. Available at: <https://doi.org/10.3390/ijerph120302543>.
- [World Health Organisation \(2022\) Salmonella \(non-typhoidal\)](#). (Accessed: 13 May 2022).
- World Health Organisation (WHO) & Food Authority Officials of the United Nations (FAO) (2002) [Risk assessments of Salmonella in eggs and broiler chickens, World Health Organisation](#). (Accessed: 18 May 2022).